



KL-4999-260 /-270 /-2600 /-2700 "MODULO" AssemblyTrolley



Product information

 Read and understand before use!

EN



www.gedore-automotive.com



GEDORE Automotive GmbH

Breslauer Straße 41
78166 - Donaueschingen
Postfach 1329
78154 Donaueschingen - GERMANY

☎ +49 (0) 771 / 8 32 23-0
☎ +49 (0) 771 / 8 32 23-90
✉ info.gam@gedore.com
🌐 gedore-automotive.com

GEDORE TOOLS, INC.

Only for USA, Canada & Mexico / Sólo para EE.UU., Canadá y México
Seulement pour les USA, le Canada et le Mexique
7187 Bryhawke Circle, Suite 700
North Charleston, SC 29418, USA

☎ +1-843 / 225 50 15
☎ +1-843 / 225 50 20
✉ info@gedoretools.com
🌐 gedore.com

Version 05/2022

4999-260_270_EN220318.indd

PRODUCT DESCRIPTION KL-4999-260 - Assembly trolley "MODULO 260"

The assembly trolley "MODULO 260" with its unique composition is the ideal, mobile workstation for fast, organised, and efficient repairs.

① The hydraulic cylinder - **KL-0040-2500** is not included in the scope of delivery of the assembly trolley - **KL-4999-2600!**

Scope of application

Drawers insert A

- Various drive parts such as 17t hydraulic cylinders - **KL-0040-2500**, Ring ratchet/open-end spanners, impact extractors 4.8kg - **KL-0049-31** as well as pull/thrust spindles (mechanical, hydraulic), quick-clamping nuts and adapters of the **KL-0039-..series** for driving the tool kits.
- Articulated handle - **KL-4007-411** as well as power spanner/socket spanner sockets (SK / TX / XZN) for loosening and tightening of wheel bearing central screws.
- Locking ring pliers - **KL-0192-5** for the disassembly and assembly of wheel bearing locking rings.
- Wire brush for derusting and cleaning various components.

Drawers insert B

- Wheel bearing tool kits of the **KL-0039-.. series** for pressing out and in of nearly all standard wheel bearings and wheel hubs.
- Wheel hub puller - **KL-0041-38..** as well as wheel bearing tool kits of the **KL-0041-4.. series** for pressing out and in of wheel hubs and wheel bearing units, for example on VW, Audi, Seat, Škoda and Ford, Mazda, Volvo.
- Pullers of the **KL-0174-.. series** for pulling standard wheel bearings as well as pressing out bonded and stuck cardan shafts.
- Hooks - **KL-0049-360 A** for pulling of wishbones from the suspension joint clamping hole.

Drawers insert C

- Silent block tool kits of the **KL-0039-.. series** for pressing out and in of silent blocks and joints bearings.
- Pressing devices of the **KL-0326-1.. series** for pressing out and in support/guide joints; for example, on Mercedes and VW T4.
- Pressing devices of the **KL-0610-1.. series** for pressing out and in silent blocks on rear axle trailing arms; for example, on Ford, Mazda, Volvo.
- Wheel bearing tool - **KL-2211-111..** for pulling stuck screwed wheel bearing units; for example, on Subaru.

Required drive parts

KL-0215-35 M25 - Hydraulic pump

Assembly trolley specifications

- Dimensions H 985 x W 1200 x D 635mm
- Beech multiplex worktop, 30mm thick, oiled
- Total load carrying capacity: 1000kg / mobile operation: 750kg
- 2 fixed castors Ø 200mm and 2 swivel castors Ø 125mm with total brake
- Sheet steel, corrosion-resistant, scratch-resistant powder-coated in GEDORE blue
- Extra wide drawers W 998 x D 474mm with full extension, loadable up to 70kg
- Automatic drawer retraction with single pull-out stop and central locking system
- Side walls with Euro perforation 10 x 38mm for attaching hooks and tools

⚠ Safety instructions and regulations!

✔ **Before using** the special tool, read, understand, and observe the relevant instructions for **safe use!**

✔ Use the special tool **as intended**, and **always** carry out maintenance and repair work in compliance with the regulations on occupational safety and accident prevention as well as the vehicle manufacturer's instructions!

✔ **Before each use**, check the special tool **carefully** for damage, loose parts, or unauthorised modifications. **Never** use it if you notice any such deficiencies!

✔ **Always** wear your personal protective equipment (*such as safety goggles, protective gloves, safety shoes*) during work!

Workshop/assembly trolley



⚠️ Depending on the application, follow the corresponding instructions!

Depending on the tool and application, the corresponding instructions **must** be taken to hand, read, understood, and observed beforehand!

The following instructions and product information are enclosed with the assembly trolley:

Drawer insert A

KL-0039-219.. - Adapter for quick-release nuts

KL-0039-22 /-23 - Quick-release nuts

KL-0040-2500 - Hydraulic cylinder

KL-0049-31 - Impact extractor

KL-0192-5 - Circlip pliers

KL-4007-411 - Articulated handle

KL-4999-120 A /-121 A - Workshop/assembly trolley

Drawer insert A



Drawer insert B

KL-0039-..Series - Universal wheel bearing tool

KL-0041-44 C - Wheel bearing tool Ø 72mm, VW-AUDI

KL-0041-45 B - Wheel bearing tool Ø 85mm, VW


KL-0041-46 D - Wheel bearing tool Ø 78 + 82mm, Ford, Mazda, Volvo

KL-0041-380 A - Universal wheel hub/bearing unit extractor

KL-0049-360 A - Hook for impact extractor

KL-0174-..series - Universal wheel hub puller

Drawer insert B



Drawer insert C

KL-0039-..series - Universal silent block tool

KL-0326-10 A - Press kit Mercedes

KL-0326-14 - Press kit Mercedes

KL-0326-15 - Press kit VW T4


KL-0326-160 - Press kit, universal

KL-0610-13..series - Sleeve kit Ford, Mazda, Volvo

KL-0610-15 A - Pressing device Ford, Volvo

KL-2211-1112 - Wheel bearing tool Subaru

Drawer insert C



PRODUCT DESCRIPTION KL-4999-270 - Assembly trolley "MODULO 270"

The assembly trolley "MODULO 270" with its unique composition is the ideal, mobile workstation for fast, organised, and efficient repairs.

① The hydraulic cylinder - **KL-0040-2500** is not included in the scope of delivery of the assembly trolley - **KL-4999-2700!**

Scope of application

Drawer insert A

- Various drive parts such as 17t hydraulic cylinders - **KL-0040-2500**, Ring ratchet/open-end spanners, impact extractors 4.8 kg - **KL-0049-31** as well as pull/thrust spindles (mechanical, hydraulic), quick-clamping nuts and adapters of the **KL-0039-..series** for driving the tool kits.
- Articulated handle - **KL-4007-411** as well as power spanner/socket spanner sockets (SK / TX / XZN) for loosening and tightening of wheel bearing central screws.
- Locking ring pliers - **KL-0192-5** for the disassembly and assembly of wheel bearing locking rings.
- Wire brush for derusting and cleaning various components.

Drawer insert B

- Wheel bearing tool kits of the **KL-0039-.. series** for pressing out and in of nearly all standard wheel bearings and wheel hubs.
- Wheel hub puller - **KL-0041-38..** as well as wheel bearing tool kits of the **KL-0041-4.. series** for pressing out and in of wheel hubs and wheel bearing units, for example on VW, Audi, Seat, Škoda and Ford, Mazda, Volvo.
- Pullers of the **KL-0174-.. series** for pulling standard wheel bearings as well as pressing out bonded and stuck cardan shafts.
- Hooks - **KL-0049-360 A** for pulling of wishbones from the suspension joint clamping hole.

Drawer insert C

- Silent block tool kits of the **KL-0039-.. series** for pressing out and in of silent blocks and joints bearings.
- Pressing devices of the **KL-0326-1.. series** for pressing out and in support/guide joints; for example, on Mercedes and VW T4.
- Pressing devices of the **KL-0610-1.. series** for pressing out and in silent blocks on rear axle trailing arms; for example, on Ford, Mazda, Volvo.
- Wheel bearing tool - **KL-2211-111..** for pulling stuck screwed wheel bearing units; for example, on Subaru.

Drawer insert D

- Holding device - **KL-0115** for counterholding wheel hubs when loosening and tightening the wheel bearing central bolt.
- Pullers of the **KL-0042-9.. series** for pulling stuck wheel bearing inner races on the wheel hub.
- Clamping pliers - **KL-0121-96..** To compress lug clamps and locking of stepless hose clips.
- Forcing tool of the **KL-0165-.. series** for separating ball joint connections on steering and axle systems.
- Eccentric spanner - **KL-0167-30** for loosening and tightening inner tie bar joints or axial joints.
- Disassembly fork - **KL-0190-12** to check bearing and joint connections on vehicle axes, and to disassemble various parts.

Required drive parts

KL-0215-35 M25 - Hydraulic pump

Assembly trolley specifications

- Dimensions H 985 x W 1200 x D 635mm
- Beech multiplex worktop, 30mm thick, oiled
- Total load carrying capacity: 1000kg / mobile operation: 750kg
- 2 fixed castors Ø 200mm and 2 swivel castors Ø 125mm with total brake
- Sheet steel, corrosion-resistant, scratch-resistant powder-coated in GEDORE blue
- Extra wide drawers W 998 x D 474mm with full extension, loadable up to 70kg
- Automatic drawer retraction with single pull-out stop and central locking system
- Side walls with Euro perforation 10 x 38mm for attaching hooks and tools

⚠ Safety instructions and regulations!

- **Before using** the special tool, read, understand, and observe the relevant instructions for **safe use!**
- Use the special tool **as intended**, and **always** carry out maintenance and repair work in compliance with the regulations on occupational safety and accident prevention as well as the vehicle manufacturer's instructions!
- **Before each use**, check the special tool **carefully** for damage, loose parts, or unauthorised modifications. **Never** use it if you notice any such deficiencies!
- **Always** wear your personal protective equipment (*such as safety goggles, protective gloves, safety shoes*) during work!


Workshop/assembly trolley




Drawer insert A




Drawer insert B



Drawer insert C



Drawer insert D



⚠ Depending on the application, follow the corresponding instructions!

Depending on the tool and application, the corresponding instructions **must** be taken to hand, read, understood, and observed beforehand!

The following instructions and product information are enclosed with the assembly trolley:

Drawer insert A

KL-0039-219.. - Adapter for quick-release nuts

KL-0039-22 /-23 - Quick-release nuts

KL-0040-2500 - Hydraulic cylinder

KL-0049-31 - Impact extractor

KL-0192-5 - Circlip pliers

KL-4007-411 - Articulated handle

KL-4999-120 A /-121 A - Workshop/assembly trolley

Drawer insert B

KL-0039-..series - Universal wheel bearing tool

KL-0041-44 C - Wheel bearing tool Ø 72mm, VW-AUDI

KL-0041-45 B - Wheel bearing tool Ø 85mm, VW

KL-0041-46 D - Wheel bearing tool Ø 78 + 82mm, Ford, Mazda, Volvo

KL-0041-380 A - Universal wheel hub/bearing unit extractor

KL-0049-360 A - Hook for impact extractor

KL-0174-..series - Universal wheel hub puller

Drawer insert C

KL-0039-..series - Universal silent block tool

KL-0326-10 A - Press kit Mercedes

KL-0326-14 - Press kit Mercedes

KL-0326-15 - Press kit VW T4

KL-0326-160 - Press kit, universal

KL-0610-13..series - Sleeve kit Ford, Mazda, Volvo

KL-0610-15 A - Pressing device Ford, Volvo

KL-2211-1112 - Wheel bearing tool Subaru

Drawer insert D

KL-0042-9..series - Bearing inner ring puller, universal

KL-0115 - Retaining device for wheel hubs, universal

KL-0121-96 B - Clamping pliers for steering and axle boots

KL-0165..series - Ball joint puller, universal

KL-0167-30 - Eccentric spanner, inner tie rod joint

KL-0190-12 - Disassembly fork, universal

Drawer insert A

⚠ Depending on the application, follow the corresponding instructions!




Scope of delivery:

Item	Part no.	Description	Qty.
1	KL-4007-411	Articulated handle 3/4", 980mm	1
2	KL-4014-4224	Screwdriver bit width 24	1
3	643	Brake calliper brush	1
4	KL-0039-1930	Thrust spindle M20 x 590mm	1
5	KL-0039-2010-1	Pulling spindle M10x1.25 for mechanical drive	1
	KL-0039-2012-1	Pulling spindle M12 for mechanical drive	1
6	KL-0039-2014-1	Pulling Spindle, M14 for mechanical drive	1
	KL-0039-2016-1	Pulling Spindle, M16 for mechanical drive	1
7	KL-0039-1912-1	Pulling spindle M12 for hydraulic cylinder	1
8	KL-0039-1920-1	Pulling spindle M20 for hydraulic cylinder	1
9	KL-0049-31	Impact extractor 4.8kg with adapter 2 1/4"-14 UNS	1
10	D 32 36	Socket 3/4" 36mm	1
11	IN K 32 19	Power screwdriver bit 3/4" 19mm	1
12	IN K 32 17	Power screwdriver bit 3/4" 17mm	1
13	KL-0039-2120-2	Quick-release nut M20	1
14	KL-0039-2192	Conical adapter for quick-release nut M20	1
15	KL-4031-4118	Screwdriver bit XZN M18	1
16	KL-0039-2112-2	Quick-release nut M12	1
17	KL-0039-2110-2	Quick-release nut M10 x 1.25	1

Item	Part no.	Description	Qty.
18	KL-0040-3009	Clamping nut M20	1
19	KL-0041-3812	Clamping nut 30mm dia., M20	1
20	KL-0039-1912-2	Collar nut M12	1
21	KL-0039-1910-2	Collar nut M10x1.25	1
22	KL-0214-2202	Spacer ring 30mm dia.	1
23	KL-0040-2500	Hydraulic cylinder 17t ① In assembly trolley- KL-4999-2600 and KL-4999-2700 not included!	1
24	19 8	Socket, 8mm	1
25	19 10	Socket, 10mm	1
26	19 13	Socket, 13mm	1
27	19 22	Socket, 22mm	1
28	KL-0039-1011	Mounting adapter for mechanical spindle	1
29	KL-0039-1002	Adapter for clamping nut and pressure spindle	1
30	KL-0039-1003	Adapter for hydraulic cylinder	1
31	1993 U-20	Reversible ratchet, 1/2"	1
32	KL-0192-5	Circlip pliers	1
33	7 R 22	Open-ended spanner with ring ratchet 22	1
34	6 22X27	Double open-ended spanner	1
35	6 30X36	Double open-ended spanner	1
KL-4999-1335 - Foam insert for drawer			

Drawer insert B

⚠ Depending on the application, follow the corresponding instructions!



Scope of delivery:

Item	Part no.	Description	Qty.
1	KL-0041-3800 A	Wheel hub extractor basic unit with adjusting spindle	1
2	KL-0041-3931	Pressure screw M14x1.5	5
3	KL-0039-1935	Thrust piece	1
4	KL-0174-701	Hexagon collar nut M14	4
5	KL-0041-4608 D	Cover	1
	KL-0041-4607	Housing	1
6	KL-0174-240	Perforated plate size 2	1
7	KL-0049-360 A	Hook for impact extractor	1
8	KL-0174-559	Adapter 2 1/4" 14UNS to 2 1	1
9	KL-0174-762	Pull bolt, type M, M12 x 1.25	4
10	KL-0174-763	Pull bolt, type M, M12 x 1.5	4
11	KL-0174-764 A	Pull bolt, type M, M14 x 1.5	4
12	KL-0174-722	Tension bolt, type B, M12 x 1.25	4
13	KL-0174-723	Tension bolt, type B, M12 x 1.5	4
14	KL-0174-724	Pull bolt, type B, M14 x 1.5	4
15	KL-0174-727	Pull bolt, type B, M14 x 1.25	4
16	KL-0174-728	Pull bolt M15x1.25	3
17	KL-0041-4400 C	Pair of clamping jaws, 7mm dia.	1
18	KL-0041-4500 B	Pair of clamping jaws, 8mm dia.	1
19	KL-0041-4600 D	Pair of clamping jaws, 78mm dia.	1
20	KL-0039-1401	Bearing cover	1
	KL-0039-1413	Centring ring, 70mm dia.	1
	KL-0039-1414	Centring ring, 75mm dia.	1
	KL-0039-1415	Centring ring, 80mm dia.	1
21	KL-0039-1402	Housing	1
22	KL-0039-1325	Centring ring, 25mm dia.	1
	KL-0039-1326	Centring ring, 26mm dia.	1
	KL-0039-1327	Centring ring, 27mm dia.	1
	KL-0039-1328	Centring ring, 28mm dia.	1
	KL-0039-1329	Centring ring, 29mm dia.	1
	KL-0039-1330	Centring ring, 30mm dia.	1
	KL-0039-1331	Centring ring, 31mm dia.	1
	KL-0039-1332	Centring ring, 32mm dia.	1
	KL-0039-1333	Centring ring, 33mm dia.	1
	KL-0039-1334	Centring ring, 34mm dia.	1
	KL-0039-1335	Centring ring, 35mm dia.	1
	KL-0039-1336	Centring ring, 36mm dia.	1
	KL-0039-1337	Centring ring, 37 mm dia.	1
	KL-0039-1338	Centring ring, 38mm dia.	1
	KL-0039-1339	Centring ring, 39mm dia.	1
	KL-0039-1340	Centring ring, 40mm dia.	1
23	KL-0039-1341	Centring ring, 41mm dia.	1
	KL-0039-1342	Centring ring, 42mm dia.	1
	KL-0039-1343	Centring ring, 43mm dia.	1
	KL-0039-1344	Centring ring, 44mm dia.	1
	KL-0039-1345	Centring ring, 45mm dia.	1
	KL-0039-1346	Centring ring, 46mm dia.	1
	KL-0039-1347	Centring ring, 47mm dia.	1

Item	Part no.	Description	Qty.
23	KL-0039-1348	Centring ring, 48mm dia.	1
	KL-0039-1349	Centring ring, 49mm dia.	1
	KL-0039-1350	Centring ring, 50mm dia.	1
	KL-0039-1351	Centring ring, 51mm dia.	1
	KL-0039-1352	Centring ring, 52mm dia.	1
	KL-0039-1353	Centring ring, 53mm dia.	1
	KL-0039-1354	Centring ring, 54mm dia.	1
	KL-0039-1355	Centring ring, 55mm dia.	
	KL-0039-1356	Centring ring, 56mm dia.	1
	KL-0039-1357	Centring ring, 57mm dia.	1
	KL-0039-1358	Centring ring, 58mm dia.	1
	KL-0039-1359	Centring ring, 59mm dia.	1
24	KL-0039-1360	Centring ring, 60mm dia.	1
	KL-0039-1254	Thrust ring 54mm dia.	1
	KL-0039-1260	Thrust ring 60mm dia.	1
	KL-0039-1261	Thrust ring 61mm dia.	1
	KL-0039-1262	Thrust ring 62mm dia.	1
	KL-0039-1263	Thrust ring 63mm dia.	1
	KL-0039-1264	Thrust ring 64mm dia.	1
	KL-0039-1265	Thrust ring 65mm dia.	1
	KL-0039-1266	Thrust ring 66mm dia.	1
	KL-0039-1267	Thrust ring 67mm dia.	1
	KL-0039-1268	Thrust ring 68mm dia.	1
	KL-0039-1269	Thrust ring 69mm dia.	1
	KL-0039-1270	Thrust ring 70mm dia.	1
	KL-0039-1271	Thrust ring 71mm dia.	1
	KL-0039-1272	Thrust ring 72mm dia.	1
	KL-0039-1273	Thrust ring 73mm dia.	1
	KL-0039-1274	Thrust ring 74mm dia.	1
	KL-0039-1275	Thrust ring 75mm dia.	1
	KL-0039-1276	Thrust ring 76mm dia.	1
	KL-0039-1277	Thrust ring 77mm dia.	1
	KL-0039-1278	Thrust ring 78mm dia.	1
	KL-0039-1279	Thrust ring 79mm dia.	1
	KL-0039-1280	Thrust ring 80mm dia.	1
	KL-0039-1281	Thrust ring 81mm dia.	1
	KL-0039-1282	Thrust ring 82mm dia.	1
	KL-0039-1283	Thrust ring 83mm dia.	1
	KL-0039-1284	Thrust ring 84mm dia.	1
	KL-0039-1285	Thrust ring 85mm dia.	1
	KL-0039-1286	Thrust ring 86mm dia.	1
	KL-0039-1287	Thrust ring 87mm dia.	1
	KL-0039-1288	Thrust ring 88mm dia.	1
	KL-0039-1289	Thrust ring 89mm dia.	1
	KL-0039-1290	Thrust ring 90mm dia.	1
	KL-0039-1296	Thrust ring 96mm dia.	1
	KL-0039-1502	Thrust ring 93mm dia.	1
	KL-0039-1506	Centring ring, 60mm dia.	1
KL-4999-2602-1 - Foam insert for drawer			

Drawer insert C

⚠ Depending on the application, follow the corresponding instructions!



Scope of delivery:


Item	Part no.	Description	Qty.
1	KL-0610-1502	Pressure sleeve Ford, Volvo	1
2	KL-0610-1311 A	Pressure/support sleeve 59.3 / 52mm dia.	1
3	KL-0610-1332	Pressure/support sleeve 70 / 62mm dia.	1
4	KL-0610-1341	Pressure/support sleeve 70 / 66.5mm dia.	1
5	KL-0039-1630	Pressure/support sleeve, short, 30 / 22mm dia.	1
6	KL-0039-1634	Pressure/support sleeve, short, 34 / 26mm dia.	1
7	KL-0039-1640	Pressure/support sleeve, short, 40 / 32mm dia.	1
8	KL-0039-1642	Pressure/support sleeve, short, 42 / 34 mm dia.	1
9	KL-0039-1646	Pressure/support sleeve, short, 46 / 38 mm dia.	1
10	KL-0039-1650	Pressure/support sleeve, short, 50 / 42mm dia.	1
11	KL-0039-1654	Pressure/support sleeve, short, 54 / 46mm dia.	1
12	KL-0039-1658	Pressure/support sleeve, short, 58 / 50mm dia.	1
13	KL-0039-1664	Pressure/support sleeve, short, 64 / 56mm dia.	1
14	KL-0039-1666	Pressure/support sleeve, short, 66 / 58mm dia.	1
15	KL-0039-1670	Pressure/support sleeve, short, 70 / 62mm dia.	1
16	KL-0039-1672	Pressure/support sleeve, short, 72 / 64mm dia.	1
17	KL-0039-1674	Pressure/support sleeve, short, 74 / 66mm dia.	1
18	KL-0039-1682	Pressure/support sleeve, short, 82 / 74mm dia.	1
19	KL-0610-1503	Adapter	1
20	KL-0326-1111	Adapter ring 1 with O-ring	1
21	KL-0326-1312 A	Adapter ring 4	1
22	KL-0326-1311	Adapter ring 3 with O-ring	1
23	KL-0326-1411	Adapter ring 5 with O-ring	1
24	KL-0049-3004	Hex nut M18	4
25	KL-0039-1914-2	Collar nut M14	1
26	KL-0039-1916-2	Collar nut M16	1
27	KL-0326-1000	Press frame	1
28	KL-0610-1501-1	Thrust ring	1
29	KL-0039-1153	Pull rod M18, 375mm long	2

Item	Part no.	Description	Qty.
30	KL-0039-1140 V	Press frame, reinforced	1
31	KL-0610-1501-2	Pull rod extension	2
32	KL-0215-4004	Pull rod	2
33	KL-0039-1503	Adapter ring, conical	1
34	KL-0039-1504	Adapter ring, conical	1
35	KL-0039-1505	Adapter ring, cylindrical	1
36	KL-0039-1509	Adapter ring, cylindrical	1
37	KL-0039-1501	Centring ring	1
38	KL-2211-1112	Subaru supporting sleeve	1
39	KL-0326-1313 A	Sleeve, 60mm diameter	1
40	KL-0326-1314	Thrust sleeve, 56mm diameter	1
41	KL-0043-8662 A	Sleeve (top) VW-T4	1
42	KL-0350-5102	Pressure sleeve	1
43	KL-0039-1802	Centring sleeve, long, 27.4mm dia.	1
44	KL-0039-1803	Centring sleeve, long, 29.7mm dia.	1
45	KL-0041-4601	Guide bushing, 29.5mm dia.	1
46	KL-0041-4602	Guide bushing, 26.3mm dia.	1
47	KL-0039-1744	Pressure/support sleeve, long, 44 / 36mm dia.	1
48	KL-0039-1750	Pressure/support sleeve, long, 50 / 42mm dia.	1
49	KL-0039-1756	Pressure/support sleeve, long, 56 / 48mm dia.	1
50	KL-0039-1762	Pressure/support sleeve, long, 62 / 54mm dia.	1
51	KL-0039-1766	Pressure/support sleeve, long, 66 / 58mm dia.	1
52	KL-0039-1770	Pressure/support sleeve, long, 70 / 62mm dia.	1
53	KL-0039-1774	Pressure/support sleeve, long, 74 / 66mm dia.	1
54	KL-0039-1778	Pressure/support sleeve, long, 78 / 70mm dia.	1
55	KL-0039-1782	Pressure/support sleeve, long, 82 / 74mm dia.	1
56	KL-0039-1784	Pressure/support sleeve, long, 84 / 76mm dia.	1
KL-4999-2603-1 - Foam insert for drawer			

EN

Drawer insert D

⚠ Depending on the application, follow the corresponding instructions!



Scope of delivery:

Item	Part no.	Description	Qty.
1	KL-0115	Retainer for wheel hubs	1
2	KL-0174-817	Spindle with pin (14mm dia.) M20x1.5 x 150	1
3	KL-0042-9002	Handle	1
4	KL-0042-9004	Special ring spanner SW 36, with handle	1
5	KL-0014-0030	Molybdenum disulphide paste, 50g	1
6	KL-0042-9031	Collet chuck size 3, 44 - 48mm diameter	1
7	KL-0042-9041	Collet chuck size 4, 48 - 52mm diameter	1
8	KL-0042-9051	Collet chuck size 5, 52 - 56mm diameter	1
9	KL-0042-9061	Collet chuck size 6, 56 - 60mm diameter	1
10	KL-0042-9001	Clamping sleeve	1
11	KL-0165-1001	Fork size 1 for ball joint breaker	1
12	KL-0165-1101	Fork size 1 for ball joint breaker	1
13	KL-0165-1401	Fork size 1 for ball joint breaker	1
14	KL-0165-2301	Fork size 2 for ball joint breaker	1
15	KL-0165-100	Ball joint breaker (basic tool without fork)	1
16	KL-0174-851	Thrust piece for wheel hubs	1
17	KL-0174-854	Thrust piece for wheel hubs	1
18	KL-0165-35	Ball joint breaker size 3	1
19	KL-0121-9600 B	Hose clamp pliers	1
20	KL-0121-9611-1	Hook	1
21	KL-0167-30	Eccentric spanner to remove / install the inner track rod joint	1
22	KL-0190-12	Breaker fork with handle	1
KL-4999-2701-1 - Foam insert for drawer			



Lined area for product information translation.

EN



GEDORE-Werkzeugfabrik GmbH & Co. KG

Remscheider Straße 149
42899 - Remscheid
Postfach 120361
47873 Remscheid
GERMANY

Vertrieb DEUTSCHLAND

☎ +49 (0) 2191 / 596-0
📠 +49 (0) 2191 / 596-230
✉ info@gedore.com
🌐 www.gedore.com

Sales INTERNATIONAL

☎ +49 (0) 2191 / 596-910
📠 +49 (0) 2191 / 596-911
✉ info@gedore.com
🌐 www.gedore.com

GEDORE TOOLS, INC.

Only for USA, Canada & Mexico
Sólo para EE.UU., Canadá y México
Seulement pour les USA, le Canada et le Mexique
7187 Bryhawke Circle, Suite 700, North Charleston, SC 29418, USA

☎ +1-843 / 225 50 15
📠 +1-843 / 225 50 20
✉ info@gedoretools.com
🌐 www.gedoretools.com

Worldwide GEDORE service centers and offices are listed on the Internet at: www.gedore.com

GEDORE Automotive GmbH

Breslauer Straße 41
78166 - Donaueschingen
Postfach 1329
78154 Donaueschingen
GERMANY

Vertrieb DEUTSCHLAND

☎ +49 (0) 771 / 8 32 23-0
📠 +49 (0) 771 / 8 32 23-90
✉ info.gam@gedore.com
🌐 gedore-automotive.com



www.gedore-automotive.com