



SIMPLY EFFICIENT



EN

CATALOGUE 2026

AUTOMATIC TRANSMISSION FLUID

EQUIPMENT FOR AUTOMATIC GEARBOX MAINTENANCE

WE MAKE SOLUTIONS EFFICIENT

AUTOMATIC GEARBOX MAINTENANCE

The unique ATF station incorporates the most competent workflow settings carefully crafted by experienced ATF specialists in terms of hardware and software.

With the desire to offer a range of adapters as great as the ATF station, Ecotechnics created the widest range of ATF adapters available individually or in recommended sets.

The ATF database contains more than 90% of all vehicle models manufactured from 2000 onwards. You can reach the database directly on the station, on the online platform or wherever you are with the ATF MOBILE APP.

Reason why of gearbox maintenance

Sophisticated technologies of modern gearboxes require precise balance of lubricating and hydraulic fluids, pressures and temperatures as well as compliance with recommended maintenance procedures including periodical filter replacement, cleaning and oil replacement.


Opportunity for the workshop

- Most vehicles have automatic transmission.
- Maintenance is recommended by manufacturers.
- Growing business with ATF service and consumables in the workshop
- Competent customer connection and care
- Differentiation from competitors

Opportunity for workshop's customers

- Best gearbox efficiency
- Prevent and avoid expensive repair
- Decrease energy consumption and keep lower emissions
- Good and long-lasting driver experience
- Maintain vehicle's value
- Respect manufacturer's recommendation





ATF

MOOVETECH

UNIQUE, EFFORTLESS, COMPREHENSIVE

UNIQUE

Our station stands out as the ultimate choice in the market. By integrating automatic workflows, software-guided procedures, and comprehensive databank. Our dedication to robustness and resistance ensures minimal maintenance making our station truly exceptional.

EFFORTLESS

With its automatic and intuitive controls, it incorporates the most competent workflow settings, carefully crafted by experienced specialists. Users are seamlessly guided through all settings, ensuring an effortless and efficient experience.

COMPREHENSIVE

The Database contains more than 20,000 vehicles. Encompassing more than 90% of all vehicle models manufactured from 2000 onwards. With immediately available adapters, as well as those obtainable on request, we ensure a comprehensive coverage for all connections.



EQUIPMENT FOR AUTOMATIC GEARBOX MAINTENANCE



Smart-Drain system

This is the most comfortable, fast, safe and clean method to handle the used fluid. The recovered oil dripped from the pan is automatically weighed. The height of station's drain pan is adjustable. The asymmetrical shape adapts it to many different gearboxes.

2 large fine filters

Protect all internal components of the station, avoid the need of maintenance with high filtration capacity preventive filtration of the gearbox circuit during the cleaning phase. For both directions (1 and 2) a dedicated filter.

High performing Manifold

Strategic placement of compact valves and implementation of anti-pressure drop measure ensures the best performance. With Generous diameter and smooth passages for oil flow to prevent pressure drops resulting in increased speed and constant oil flow. This is particularly advantageous for large engine'd vehicles, sports, vintage and American cars.

Multi-brand new oil tank

New oil tank designed to easily accommodate different sizes and multi-brands.

Discharge used oil container by compressed air

Clean, Easy, Fast: no pump necessary, no maintenance or repair. Using highly professional emptying operations we have eliminated any need to remove of the used oil tank making it cleaner, faster, and easier.

Third scale for cleaner

Highest accuracy and precision compared to other manufactures. Using a scale avoids the risk of the pump sucking air while injecting additive and removes the constant need to purge the pump.

High quality connectors

Anti-splash, anti-flap, easy to handle

Software: automatic and intuitive

Continuous total control software. During the whole process of cleaning, oil replacement and substitution of pan and/or filter, the software workflow never requires running engine in critical moments. The navigation is intuitive. The user is perfectly guided. Most suitable parameters are recommended but not mandatory and the user is always free to define preferred service settings.

Database

ATF-Service24 is the access platform for the on-line ATF Database to help you get the most out of your machine. The data base is constantly updated and provides information on the connection, the suitable adapter, procedures, filters, levels, components and safety information. You can reach the uploaded database directly on the ATF station, on the online platform or, wherever you are, with the ATF MOBILE APP.

ATF mobile app

ATF-connection wherever you are! Be always informed on real time status of your ATF station, keep research for suitable ATF adapters smart and keep in touch with the know-how of our ATF specialists.



ATF MOOVETECH

AUTOMATIC GEARBOX MAINTENANCE

ATF MOOVETECH – COMPLETE TECHNICAL SHEET

Display	Touchscreen 7"
Connectivity Wi-Fi	Standard
Mobile App (ios, Android)	Standard
Software update	USB Flash Drive or Wi-Fi
Database	Local, on-line platform and Mobile App
Detection of flow direction	Automatic
Used oil container	Fixed steel container, 25 liters
New oil container	Removable plastic canister, 20 liters
New and used oil scale resolution	5 gr, 2 load cell
Additive container	2 liters
Additive scale resolution	5 gr
Oil filtering	2x ultra-fine filters
Pump	High flow rate pump (up to 9 l/min)
Discharge used oil	Easy emptying with compressed air
Service hoses	2 x 3 meters
Thermal printer	Standard
Languages	27
Voltage	220-240 V, 50/60 Hz
Power cord cable	Locking plug as standard
Working ambient temperature range	5 - 55 °C / 10-95% humidity
Dimensions	72 x 73 x 108 cm - 80 kg
Dimensions with packaging	76 x 70 x 137 cm - 95 kg

DECKY1ATF0000000

ATF MOOVETECH

DECKLEVELKIT-ATF

OIL LEVEL CONNECTORS

DECKDOB.ATF-LICENSE

LOCAL DATABASE UPDATE + WEB LICENSE

DECKCNT0031

NEW CANISTER 20 liters

DECKFLT.ATF.1000

2 x FILTER CARTRIDGE

DECKKIT.ATF

ATF BASE KIT ADAPTERS

DECKKIT.ATF-ADV

ATF ADVANCED KIT ADAPTERS

DECKATF.CASE

STORAGE SUITCASE FOR ADAPTERS





DECKDOB.ATF-LICENSE

DECKCNT0031

DECKFLT.ATF.1000

DECKKIT.ATF-ADV

DECKATF.CASE



DECKKIT-ATF



DECKLEVELKIT-ATF



DECKKIT-ATF-ADV



DECKATF.CASE

FULL RANGE ATF ADAPTERS

With the desire to offer a range of adapters as great and unique as the ATF machine, we created the most focused range of ATF adapters to best suit the European vehicle parc.

The adapter range, considered the widest available, is constantly updated with attentive selection to offer efficient solutions on popular models or new tricky solutions on specific models.

Further to individual availability of all adapters for replacement and beyond adapter kits, specific adapter selections have been created to match workshops specific vehicle mix and volume. Adapter kits support workshops in their competent purchase and keep marketability of the adapter range easier.

Adapters of ATF BASE KIT and ATF ADVANCED KIT are delivered in the specific suitcase. For practical use and storage in the workshop of all other suggested ranges (Professional 1 or 2), is available also the Storage Adapter Suitcase. Different sizes of compartments suits to the whole range of adapters.

ADAPTER'S RANGE



	DECKKIT.ATF – ATF BASE KIT ADAPTERS (21 adapters) A This basis kit covers most popular vehicles and is essential to start. The range is a perfect ATF starting point and provides a great package for the most popular automatic vehicles in Europe requiring ATF service.
	DECKKIT.ATF-ADV – ATF ADVANCED KIT ADAPTERS (18 adapters) Advanced kit to complement the coverage of the basis kit. Enhancing the core coverage for vehicle routinely presented into all brand aftermarket workshops.
	SUGGESTION PROFESSIONAL 1 Recommended adapter selection for more specialistic ATF service. Focusing on less common northern European vehicles focused on central north manufacturers as VW, Mercedes, BMW and Volvo vehicle applications
	SUGGESTION PROFESSIONAL 2 Recommended adapter selection for more specialistic ATF service. Focusing on less common European manufacturers Renault, PSA group and FCA group vehicle applications.


DECKLEVELKIT-ATF

The kit contains 20 connectors (from ATF101 to ATF120) to facilitate the top-up for correct oil level on most popular European vehicles. Unless the car is connected during an ATF cleaning and oil replacement service, this control can obviously be performed directly with station's service hoses. But to check the level after a test drive or in any other circumstance by disconnected gearbox, these connectors enable quick and easy top-up.

		DECKRAC8201	A1 -VARIOUS ZF – JAGUAR, MERCEDES- BENZ, MITSUBISHI & SSANGYONG
		DECKRAC8202	A2 -VARIOUS ZF –JAGUAR, MERCEDES- BENZ, SSANGYONG
		DECKRAC8203	A3 -AISIN WARNER –JEEP, FIAT, ALFA ROMEO, OPEL, CITROEN
		DECKRAC8204	A4 -DUMMY FILTER DSG AUDI, VOLKSWAGEN, SKODA
		DECKRAC8205	A5 - VARIOUS AUDI, VOLKSWAGEN ,JEEP
		DECKRAC8206	A6 - VARIOUS - AUDI, PORSCHE, OPEL, SUBARU, MAZDA, CITROEN, RENAULT, ALFA ROMEO & LANCIA
		DECKRAC8207	A7 -VARIOUS AUDI
		DECKRAC8208	A8 - AUDI, MERCEDES-BENZ, MITSUBISHI
		DECKRAC8209	A9 - MANY ZF - MERCEDES-BENZ, BMW, RENAULT, SAAB, FORD, RANGE-ROVER, JAGUAR
		DECKRAC8210	A10 - VARIOUS VOLVO
		DECKRAC8211	A11 - GENERAL MOTORS, OPEL
		DECKRAC8212	A12 - JEEP, DODGE, OPEL, GM 4 SPEED
		DECKRAC8213	A13 -JEEP 5 SPEED


FULL RANGE ATF ADAPTERS

	DECKRAC8214	A14 - SET OF 4 UNIVERSAL RUBBER HOSES (With Internal Diameters of 8,10,13,15mm)
	DECKRAC8215	A15 - BMW, VOLVO, AUDI, MERCEDES-BENZ, RENAULT, SAAB, FORD & JLR
	DECKRAC8216	A16 - JAGUAR, FORD, MAZDA & MULTIPLE LAND ROVERS
	DECKRAC8217	A17 - AUTOMATIC GEARBOX OIL CONNECTOR FOR FILLING FROM THE BOTTOM
	DECKRAC8218	A18 - STEPPED FITTING FOR GENERAL RUBBER HOSE CONNECTIONS In: HYUNDAI, KIA, TOYOTA, LEXUS, MITSUBISHI, ISUZU & LAND ROVER
	DECKRAC8219	A19 - VOLVO - BYPASS OF THE THERMOSTAT
	DECKRAC8220	A20 - FIAT, JEEP, LAND-ROVER
	DECKRAC8221	A21 - TOYOTA, SUZUKI, MAZDA
	DECKRAC8222	A22 - VARIOUS AISIN WARNER - BMW, MINI, VOLVO
	DECKRAC8223	A23 - POWERSHIFT - FORD, RENAULT, PEUGEOT, VOLVO
	DECKRAC8224	A24 - ZF8HP - AUDI, BMW, JAGUAR, LAND-ROVER, ALFA ROMEO, JEEP, IVECO
	DECKRAC8225	A25 - CITROEN, PEUGEOT
	DECKRAC8226	A26 - CITROEN, PEUGEOT, VOLKSWAGEN, FIAT DUCATO
	DECKRAC8227	A27 - DIPSTICK - FORD, JEEP, DODGE
	DECKRAC8228	A28 - VARIOUS GM & OPEL
	DECKRAC8229	A29 - AISIN & ZF - AUDI, VOLKSWAGEN, PORSCHE, LEXUS, MITSUBISHI
	DECKRAC8230	A30 - MERCEDES-BENZ GLK, JEEP, MITSUBISHI, GM, SUZUKI, TOYOTA
	DECKRAC8231	A31 - JEEP, FIAT, CHRYSLER, MERCEDES-BENZ, SUBARU
	DECKRAC8232	A32 - 5 SPEED ZF - MERCEDES-BENZ CLK, C, AMG
	DECKRAC8233	A33 - BMW, JAGUAR
	DECKRAC8234	A34 - GM, FIAT, FORD, JEEP, CHRYSLER VOYAGER, SAAB, MERCEDES ML
	DECKRAC8235	A35 - 4 SPEED - FIAT, CITROEN, PEUGEOT, RENAULT
	DECKRAC8236	A36 - 4 SPEED - MITSUBISHI PAJERO & SHOGUN
	DECKRAC8237	A37 - VARIOUS RENAULT, MITSUBISHI, NISSAN
	DECKRAC8238	A38 - VARIOUS MERCEDES-BENZ, RENAULT - DSG
	DECKRAC8239	A39 - AISIN WARNER - PEUGEOT, CITROEN
	DECKRAC8240	A40 - BMW X1
	DECKRAC8241	A41 - AISIN WARNER - PEUGEOT
	DECKRAC8242	A42 - 6 SPEED - MAZDA
	DECKRAC8243	A43 - AISIN WARNER - FIAT - CITROEN - PEUGEOT

	DECKRAC8244	A44 - PEUGEOT - BMW - MINI
	DECKRAC8245	A45 - AISIN WARNER - PEUGEOT - VOLVO
	DECKRAC8247	A47 - FITTING EAT8 PEUGEOT, CITROEN
	DECKRAC8248	A48 - AISIN WARNER 8 SPEED - CA8F22AW BMW
	DECKRAC8249	A49 - AISIN WARNER 8 SPEED - CA8F22AW VOLVO
	DECKRAC8250	A50 - BMW 8 speed (D18 mm) (ZF) - Popular on larger 'X' Range Vehicles
	DECKRAC8251	A51 - VOLKSWAGEN, AUDI, MITSUBISHI (ZF)
	DECKRAC8252	A52 - AUDI (Q7/A8), BMW (ZF / CVT)
	DECKRAC8253	A53 - QUICK COUPLER 90° (2 pcs) - General applications, for use in limited spaces
	DECKRAC8254	A54 - VOLVO (AISIN WARNER)
	DECKRAC8255	A55 - MERCEDES, JEEP, FIAT (ZF 9 Ctronic)
	DECKRAC8256	A56 - AUDI (CVT)
	DECKRAC8257	A57 - AUDI A8 (ZF)
	DECKRAC8258	A58 - AUDI (DSG 7-Speed)
	DECKRAC8259	A59 - LAND ROVER - VOLVO (ZF)
	DECKRAC8260	A60 - BMW 8 SPEED ZF8HP
	DECKRAC8261	A61 - 722.6 Mercedes
	DECKRAC8262	A62 - GENERAL USE HOSES Ø11,8 mm, IVECO, FIAT, LANCIA, OPEL
	DECKRAC8263	A63 - GENERAL USE HOSES Ø12,6 mm, MERCEDES, GRAN CHEROKEE, MASERATI, ALFA ROMEO
	DECKRAC8264	A64 - AUDI - For OAW Type Transmissions
	DECKRAC8265	A65 - BMW X1/X2, MINI, PEUGEOT 508 (AISIN WARNER)
	DECKRAC8266	A66 - RENAULT
	DECKRAC8267	A67 - OIL LEVEL DIPSTICK FOR MERCEDES BENZ, CHRYSLER
	DECKRAC8268	A68 - JEEP FREEMONT
	DECKRAC8269	A69 - RENAULT LAGUNA III, ESPACE IV
	DECKRAC8270	A70 - NISSAN JUKE (2011 - 2014)
	DECKRAC8271	A71 - NISSAN JUKE (2014 - 2019)
	DECKRAC8272	A72 - AUDI, PORSCHE, VOLKSWAGEN (7-Speed)
	DECKRAC8273	A73 - TOYOTA COROLLA K31H-K313
	DECKRAC8274	A74 - VOLVO

	DECKRAC8275	A75 - NISSAN RENAULT
	DECKRAC8276	A76 - BMW X2, MINI, LAND ROVER, CAMBI GA8G45W
	DECKRAC8277	A77 - MINI, SUZUKI (90 mm) - VW, CITROEN, MINI, RENAULT, LANCIA (110 mm) - PEUGEOT & CITROEN (130 mm)
	DECKRAC8278	A78 - VW GEARBOX QPA (VW JETT)
	DECKRAC8279	A79 - MERCEDES GEARBOX 725.1 (MERCEDES CLASSE C, CLASSE GLE)
	DECKRAC8280	A80 - VOLVO GEARBOX AISIN TG-81SD (S60, S90 V60, XC60, XC90, V90)
	DECKRAC8281	A81 - FORD GEARBOX 10R80 (FORD TRANSIT, F150 RAPTOR, MUSTANG, RANGER)
	DECKRAC8282	A82 - CHEVROLET GEARBOX GM 8L45 (CAMARO)
	DECKRAC8283	A83 - BMW XDRIVE HYBRID ZF8HP
	DECKRAC8284	A84 - FORD GEARBOX AISIN TF-81SC (MONDEO PLUG-IN HYBRID)
	DECKRAC8285	A85 - JAGUAR-LANDROVER GEARBOX ZF 8HP70 (F-PACE, RANGE ROVER SPORT)
	DECKRAC8286	A86 - SSANGYONG GEARBOX DSI M11 (KORANDO)
	DECKRAC8287	A87 - ALFAROMEO GEARBOX ZF8HP75, ZF8HP50 (STELVIO, GIULIA)
	DECKRAC8288	A88 - MERCEDES 9G TRONIC, THERMOSTAT, 725.X
	DECKRAC8289	A89 - MERCEDES 8G - DCT 724.1 (W118, W177, W247)
	DECKRAC8290	A90 - MERCEDES 8G TRONIC
	DECKRAC8291	A91 - ZF9HP HONDA
	DECKRAC8292	A92 - MERCEDES 7 SPEED
	DECKRAC8293	A93 - PEUGEOT HYBRID 8 SPEED
	DECKRAC8294	A94 - LAND ROVER 8 SPEED
	DECKRAC8295	A95 - NISSAN GTR
	DECKRAC8296	A96 - VOLVO - LINC&CO
	DECKRAC8297	A97 - VOLVO MILDHYBRID
	DECKRAC8298	A98 - MERCEDES HYBRID 725.X

CONNECTORS FOR OIL LEVEL

	DECKRAC9201	ATF-101 FITTING FOR FORD 1/8-27 NPT
	DECKRAC9202	ATF-102 FITTING FOR HONDA NISSAN
	DECKRAC9203	ATF-103 FITTING FOR AUDI SKODA
	DECKRAC9204	ATF-104 FITTING FOR AUDI PORSCHE
	DECKRAC9205	ATF-105 FITTING FOR AUDI MINI COOPER M10X1.0
	DECKRAC9206	ATF-106 FITTING FOR AUDI DSG M24X1.5
	DECKRAC9207	ATF-107 FITTING FOR AUDI CVT M22X1.5
	DECKRAC9208	ATF-108 FITTING FOR SKODA M18X1.5
	DECKRAC9209	ATF-109 FITTING FOR MERCEDES M12X1.5
	DECKRAC9210	ATF-110 FITTING FOR AUDI SKODA M30X1.5
	DECKRAC9211	ATF-111 UNIVERSAL FLEXIBLE 300 mm
	DECKRAC9212	ATF-112 FITTING 5/16 -24 UNF
	DECKRAC9213	ATF-113 FITTING FOR TOYOTA LEXUS M18X1.5
	DECKRAC9214	ATF-114 FITTING FOR NISSAN INFINITY M18X1.0
	DECKRAC9215	ATF-115 FITTING FOR VW PASSAT
	DECKRAC9216	ATF-116 FITTING FOR NISSAN JUKE M12X1.25
	DECKRAC9217	ATF-117 FITTING FOR MINI COOPER MITSUBISHI M14X1.5
	DECKRAC9218	ATF-118 FITTING FOR NISSAN M10X1.75
	DECKRAC9219	ATF-119 FITTING FOR GM M12X1.75
	DECKRAC9220	ATF-120 FITTING FOR BENZ 725-9G
	DECKRAC9221	ATF-121 FITTING FOR AUDI VW DSG

From A101 to A120 included in LEVELKIT-ATF

Please visit the ATF MOOVETECH presentation on-line to find constantly updated range as most recent new adapters or connectors.

Visit www.ecotechnics.com on ATF MOOVETECH page or read following QR code.





SIMPLY EFFICIENT

Snap-on Climate Solutions S.r.l.
a socio unico

Registered office address
Via Provinciale Carpi, 33
42015 Correggio (RE)

Headquarters address
Via L. Longo, 21/23
50019 Sesto Fiorentino – Firenze – Italy

Contact
Tel. +39 055 4207372
Fax +39 055 4217972
Sestoflorentino.info@snapon.com

www.ecotechnics.com



Information regarding dimensions, data, models and colours is not binding. Snap-On Climate Solutions srl. Reserves the right to make any modifications deemed necessary. The products are not covered by any other express or implicit warranties. Images shown may include higher specification accessories.